

Issue Date 10-Jun-2016

Revision Date 10-Jun-2016

Version 1

## 1. IDENTIFICATION

### Product identifier

**Product Name** Sharda Bifenthrin 2E  
**Alternate Brand Name** Bi-Dash 2E

### Other means of identification

**Product Code** 83529-48  
**UN/ID no** UN3352  
**Synonyms** None  
**Registration Number(s)** 83529-48

### Recommended use of the chemical and restrictions on use

**Recommended Use** Pesticide  
**Uses advised against** No information available

### Details of the supplier of the safety data sheet

**Manufacturer Address**  
Sharda USA LLC  
P.O. Box 640  
Hockessin, DE 19707  
Website: www.shardausa.com

### Emergency telephone number

**Company Phone Number** 610-350-6930 (US)  
+91 22 5678 2800 (India)  
**Emergency Telephone** CHEMTREC: 800-424-9300  
CHEMTREC: 703-527-3887  
POISON CONTROL CENTER: 800-222-1222

## 2. HAZARDS IDENTIFICATION

### Classification

#### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 3
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin sensitization	Category 1
Carcinogenicity	Category 1B
Specific target organ toxicity (repeated exposure)	Category 1
Aspiration toxicity	Category 1
Flammable liquids	Category 4

### Label elements

#### **Emergency Overview**

#### **Danger**

#### **Hazard statements**

Toxic if swallowed  
Harmful if inhaled  
May cause an allergic skin reaction

May cause cancer  
Causes damage to organs through prolonged or repeated exposure  
May be fatal if swallowed and enters airways  
Combustible liquid



**Appearance** Liquid

**Physical state** liquid

**Odor** Strong Petroleum distillates

**Precautionary Statements - Prevention**

Obtain special instructions before use  
Do not handle until all safety precautions have been read and understood  
Use personal protective equipment as required  
Wash face, hands and any exposed skin thoroughly after handling  
Do not eat, drink or smoke when using this product  
Use only outdoors or in a well-ventilated area  
Contaminated work clothing should not be allowed out of the workplace  
Wear protective gloves/protective clothing/eye protection/face protection  
Do not breathe dust/fume/gas/mist/vapors/spray  
Keep away from heat/sparks/open flames/hot surfaces. - No smoking

**Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention  
IF ON SKIN: Wash with plenty of soap and water  
If skin irritation or rash occurs: Get medical advice/attention  
Wash contaminated clothing before reuse  
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing  
IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician  
Rinse mouth  
Do NOT induce vomiting  
In case of fire: Use CO<sub>2</sub>, dry chemical, or foam for extinction

**Precautionary Statements - Storage**

Store locked up  
Store in a well-ventilated place. Keep cool

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**Hazards not otherwise classified (HNOC)**

Not applicable

**Other Information**

May be harmful in contact with skin. Very toxic to aquatic life with long lasting effects. Very toxic to aquatic life.

**Unknown acute toxicity**

1% of the mixture consists of ingredient(s) of unknown toxicity

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

**Substance**

Not applicable

**Mixture**

Chemical Name	CAS No	Weight-%
Aromatic petroleum distillate *	Proprietary	30 - 60
Bifenthrin	82657-04-3	25.0
Other inert ingredients *	Proprietary	10 - 30
Naphthalene *	91-20-3	1 - 5

\*The exact percentage (concentration) of composition has been withheld as a trade secret. If CAS number is "proprietary", the specific chemical identity and percentage of composition has been withheld as a trade secret.

**4. FIRST AID MEASURES****Description of first aid measures**

<b>General advice</b>	Call a poison control center or doctor for treatment advice. Have the product containers or label with you when calling a poison control center or doctor, or going for treatment.
<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison control center or doctor for treatment advice.
<b>Skin contact</b>	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Wash contaminated clothing before reuse. If skin irritation persists, call a physician. Call a poison control center or doctor for treatment advice.
<b>Inhalation</b>	Move victim to fresh air. If breathing is irregular or stopped, administer artificial respiration. Call a physician or poison control center immediately. Administer oxygen if breathing is difficult.
<b>Ingestion</b>	Call a physician or poison control center immediately. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person.
<b>Self-protection of the first aider</b>	Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.

**Most important symptoms and effects, both acute and delayed**

<b>Symptoms</b>	May cause redness and tearing of the eyes. May cause skin irritation. Coughing and/ or wheezing.
-----------------	--------------------------------------------------------------------------------------------------

**Indication of any immediate medical attention and special treatment needed**

<b>Note to physicians</b>	This product is a pyrethroid. If large amounts have been ingested, the stomach and intestines should be evacuated. Treatment is symptomatic and supportive. Digestible fats, oils, or alcohol may increase absorption and so should be avoided. Contains petroleum distillates. Vomiting may cause aspiration pneumonia. May cause sensitization in susceptible persons. Treat symptomatically.
---------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

**5. FIRE-FIGHTING MEASURES****Suitable extinguishing media**

Dry chemical, CO<sub>2</sub>, water spray or regular foam. Move containers from fire area if you can do it without risk. Dike fire-control water for later disposal. Water spray, fog or regular foam.

**Unsuitable extinguishing media** Do not scatter spilled material with high pressure water streams.

**Specific hazards arising from the chemical**

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Combustible material.

**Hazardous combustion products** Carbon oxides. Hydrogen halides.

**Explosion data**

**Sensitivity to Mechanical Impact** None.

**Sensitivity to Static Discharge** None.

**Protective equipment and precautions for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Keep away from sources of ignition. Prevent fire fighting water from entering surface water or groundwater. Cool containers with spray water from a safe distance. Never use welding or cutting torch on or near container (even empty) because product may ignite explosively.

## 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions, protective equipment and emergency procedures**

**Personal precautions** Remove all sources of ignition. Evacuate personnel to safe areas. Ensure adequate ventilation, especially in confined areas. Use personal protective equipment as required. Keep people away from and upwind of spill/leak.

**For emergency responders** Use personal protection recommended in Section 8. Ventilate the area.

**Environmental precautions**

**Environmental precautions** Prevent entry into waterways, sewers, basements or confined areas.

**Methods and material for containment and cleaning up**

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Cover liquid spill with sand, earth or other non-combustible absorbent material. Sweep up and shovel into suitable containers for disposal.

## 7. HANDLING AND STORAGE

**Precautions for safe handling**

**Advice on safe handling** Handle in accordance with good industrial hygiene and safety practice. Use personal protective equipment as required. Wash thoroughly after handling. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin, eyes or clothing. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use only in well-ventilated areas.

**Conditions for safe storage, including any incompatibilities**

**Storage Conditions** Do not contaminate water, food, or feed by storage or disposal. Keep/store only in original container. Store locked up. Store at ambient conditions. Protect from excessive heat. Keep container tightly closed and store in a cool, dry and well-ventilated place. Do not allow product to freeze. Do not store below 40°F (4°C). If crystals are observed, warm material to above 60°F (16°C) by placing container in warm location. Shake or roll periodically to re-dissolve solids. Keep out of reach of children and animals. Store in original container only. Store in cool, dry place and avoid excessive heat. Do not contaminate other pesticides, fertilizers, water, food, or feed by storage or disposal.

**Packaging materials** Do not reuse container.

**Incompatible materials** Strong oxidizing agents.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

#### Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Naphthalene 91-20-3	TWA: 10 ppm S*	TWA: 10 ppm TWA: 50 mg/m <sup>3</sup>	IDLH: 250 ppm TWA: 10 ppm TWA: 50 mg/m <sup>3</sup> STEL: 15 ppm STEL: 75 mg/m <sup>3</sup>

#### Legend

*Skin - Skin Absorber*

*NIOSH IDLH Immediately Dangerous to Life or Health*

### Appropriate engineering controls

**Engineering Controls** Ensure adequate ventilation, especially in confined areas. And. Showers. Eyewash stations. Ventilation systems.

### Individual protection measures, such as personal protective equipment

**Eye/face protection** Tight sealing safety goggles.

**Skin and body protection** Wear suitable protective clothing. Wear protective butyl rubber gloves. Protective shoes or boots.

**Respiratory protection** Ensure adequate ventilation, especially in confined areas. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

**General Hygiene Considerations** When using do not eat, drink or smoke. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Wash hands thoroughly after handling. Keep away from food, drink and animal feeding stuffs.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

<b>Physical state</b>	liquid	<b>Odor</b>	Strong Petroleum distillates
<b>Appearance</b>	Liquid	<b>Odor threshold</b>	No information available
<b>Color</b>	dark amber	<b>Remarks • Method</b>	
<b>Property</b>	<b>Values</b>		
pH	5.5		solution (1 %)
Melting point / freezing point	No information available		
Boiling point / boiling range	No information available		
Flash point	75 °C / 167 °F		Seta Closed Cup
Evaporation rate	No information available		
Flammability (solid, gas)	No information available		
Flammability Limit in Air			
Upper flammability limit:	6%		
Lower flammability limit:	1%		
Vapor pressure	~0.5 mmHg		@ 25 °C
Vapor density	4 (Air = 1)		
Relative density	0.97		
Water solubility	Emulsifies		
Solubility in other solvents	No information available		

Partition coefficient	No information available	
Autoignition temperature	No information available	
Decomposition temperature	No information available	
Kinematic viscosity	4.5 mm <sup>2</sup> /s	@ 40 °C
Dynamic viscosity	No information available	
Explosive properties	Not an explosive	
Oxidizing properties	Not applicable	

**Other Information**

Softening point	No information available
Molecular weight	No information available
VOC Content (%)	No information available
Density	No information available
Bulk density	~8.1 lb/gal

**10. STABILITY AND REACTIVITY****Reactivity**

No data available

**Chemical stability**

Stable under recommended storage conditions.

**Possibility of Hazardous Reactions**

None under normal processing.

**Conditions to avoid**

Elevated Temperature. Storage near to reactive materials. Heat, flames and sparks.

**Incompatible materials**

Strong oxidizing agents.

**Hazardous Decomposition Products**Thermal decomposition can lead to release of irritating and toxic gases and vapors. Nitrogen oxides (NO<sub>x</sub>). Carbon oxides. Hydrogen halides.**11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure****Product Information**

Product data is noted below:

Acute Oral LD<sub>50</sub> (rat): 262 mg/kg  
 Acute Dermal LD<sub>50</sub> (rabbit): > 2000 mg/kg  
 Irritation (rabbit): Causes minimal eye irritation.  
 Irritation (rabbit): May cause skin irritation.  
 LC<sub>50</sub> (rat): 1.86 mg/L (4 HR)  
 Skin Sensitization (guinea pig): Sensitizer

**Inhalation**

Harmful by inhalation. May cause drowsiness or dizziness.

**Eye contact**

Contact with eyes may cause irritation.

**Skin contact**

Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. May be harmful in contact with skin.

**Ingestion**

Toxic if swallowed. Potential for aspiration if swallowed.

Chemical Name	Oral LD <sub>50</sub>	Dermal LD <sub>50</sub>	Inhalation LC <sub>50</sub>
Aromatic petroleum distillate	> 5000 mg/kg ( Rat )	> 2 mL/kg ( Rabbit )	> 590 mg/m <sup>3</sup> ( Rat ) 4 h
Bifenthrin 82657-04-3	= 54.5 mg/kg ( Rat )	= 790 mg/kg ( Rat ) > 2 g/kg ( Rabbit )	= 0.61 mg/L ( Rat ) 1 h

Other inert ingredients	= 4920 mg/kg ( Rat )	-	= 2 g/m <sup>3</sup> ( Rat ) 4 h
Naphthalene 91-20-3	= 1110 mg/kg ( Rat )	= 1120 mg/kg ( Rabbit )	> 340 mg/m <sup>3</sup> ( Rat ) 1 h

**Information on toxicological effects**

**Symptoms** May cause an allergic skin reaction. May cause redness and tearing of the eyes. Vapors may cause drowsiness and dizziness. Coughing and/ or wheezing.

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

**Sensitization** May cause sensitization by skin contact.  
**Germ cell mutagenicity** No information available.  
**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Bifenthrin 82657-04-3	-	Group 2A	-	X
Naphthalene 91-20-3	A3	Group 2B	Reasonably Anticipated	X

**ACGIH (American Conference of Governmental Industrial Hygienists)**

A3 - Animal Carcinogen

**IARC (International Agency for Research on Cancer)**

Group 2A - Probably Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

**NTP (National Toxicology Program)**

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

**OSHA (Occupational Safety and Health Administration of the US Department of Labor)**

X - Present

**Reproductive toxicity** No information available.  
**STOT - single exposure** No information available.  
**STOT - repeated exposure** Causes damage to organs through prolonged or repeated exposure.  
**Chronic toxicity** Prolonged or repeated exposure increases the risk. Possible risk of irreversible effects. Avoid repeated exposure. May cause adverse effects on the bone marrow and blood-forming system. May cause adverse liver effects. Repeated contact may cause allergic reactions in very susceptible persons.  
**Target Organ Effects** Central nervous system, kidney, liver, blood.  
**Aspiration hazard** May be fatal if swallowed and enters airways.

**Numerical measures of toxicity - Product Information**

The following values are calculated based on chapter 3.1 of the GHS document.

**ATEmix (oral)** >250.00 mg/kg  
**ATEmix (dermal)** 3,277.00 mg/kg  
**ATEmix (inhalation-dust/mist)** >1.0 mg/l

**12. ECOLOGICAL INFORMATION****Ecotoxicity**

Very toxic to aquatic life with long lasting effects  
pesticide is extremely toxic to fish and aquatic invertebrates. Use with care when applying in areas adjacent to any body of water. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not make applications when weather conditions favor drift from treated areas. Drift and run-off from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.  
The use of bifenthrin is prohibited in areas that may result in exposure of endangered species to bifenthrin. Prior to use in a particular county contact the local extension service for procedures and precautions to use to protect endangered species.

17.5 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Aromatic petroleum distillate	2.5: 72 h Skeletonema costatum	19: 96 h Pimephales promelas mg/L	0.95: 48 h Daphnia magna mg/L

	mg/L EC50	LC50 static 1740: 96 h <i>Lepomis macrochirus</i> mg/L LC50 static 45: 96 h <i>Pimephales promelas</i> mg/L LC50 flow-through 2.34: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 41: 96 h <i>Pimephales promelas</i> mg/L LC50	EC50
Bifenthrin 82657-04-3	-	0.0001 - 0.00019: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 flow-through 0.0003 - 0.00038: 96 h <i>Lepomis macrochirus</i> mg/L LC50 flow-through	0.00135 - 0.00195: 48 h <i>Daphnia magna</i> mg/L EC50 Static
Naphthalene 91-20-3	0.4: 72 h <i>Skeletonema costatum</i> mg/L EC50	1.6: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 flow-through 1.99: 96 h <i>Pimephales promelas</i> mg/L LC50 static 0.91 - 2.82: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 static 5.74 - 6.44: 96 h <i>Pimephales promelas</i> mg/L LC50 flow-through 31.0265: 96 h <i>Lepomis macrochirus</i> mg/L LC50 static	1.09 - 3.4: 48 h <i>Daphnia magna</i> mg/L EC50 Static 1.96: 48 h <i>Daphnia magna</i> mg/L EC50 Flow through 2.16: 48 h <i>Daphnia magna</i> mg/L LC50

**Persistence and degradability**

Not readily biodegradable.

: Bifenthrin degrades slowly in soil, the rate being influenced by soil characteristics; it is also stable in the aquatic environment. Bifenthrin, present at a concentration of 4.5 mg/kg and incubated for 24 months, was very stable to biodegradation in one soil (red brown earth: pH 7.1, 1.2% organic carbon, 59.1% sand, 28.3% silt, 10.5% clay) and two bedding materials (sand-dolomite (pH 9.2, 0.1% organic carbon, 80.2% sand) and quarry sand (pH 9.6, 0.2% organic carbon, 55.0% sand)). Degradation rate constants were  $5.2 \times 10^{-4}$ ,  $4.9 \times 10^{-4}$ , and  $5.0 \times 10^{-4}$  /day corresponding to half-lives of 1332, 1410, and 1386 days, respectively. Soil moisture had little effect on the rate of biodegradation.

**Bioaccumulation**

Bioaccumulative potential.

Chemical Name	Partition coefficient
Aromatic petroleum distillate	6.1
Naphthalene 91-20-3	3.3

**Other adverse effects**

This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT)

### 13. DISPOSAL CONSIDERATIONS

**Waste treatment methods****Disposal of wastes**

Pesticide wastes may be acutely hazardous. Improper disposal is a violation of federal law. Disposal should be in accordance with applicable regional, national and local laws and regulations. Contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance on proper disposal of waste product.

**Contaminated packaging**

Disposal should be in accordance with applicable regional, national and local laws and regulations. Consult product label for additional information. Do not reuse container.

**US EPA Waste Number**

U165

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Naphthalene 91-20-3	U165	Included in waste streams: F024, F025, F034, F039, K001, K035, K060, K087, K145	-	U165



Chemical Name	RCRA - Halogenated Organic Compounds	RCRA - P Series Wastes	RCRA - F Series Wastes	RCRA - K Series Wastes
Naphthalene 91-20-3	-	-	Toxic waste waste number F025 Waste description: Condensed light ends, spent filters and filter aids, and spent desiccant wastes from the production of certain chlorinated aliphatic hydrocarbons, by free radical catalyzed processes. These chlorinated aliphatic hydrocarbons are those having carbon chain lengths ranging from one to and including five, with varying amounts and positions of chlorine substitution.	-

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
Bifenthrin 82657-04-3	Toxic
Naphthalene 91-20-3	Toxic

#### 14. TRANSPORT INFORMATION

##### DOT

UN/ID no UN3352  
 Proper shipping name Pyrethroid pesticide, liquid, toxic  
 Hazard Class 6.1  
 Packing Group III  
 Special Provisions IB3, T7, TP2, TP28  
 Description UN3352, Pyrethroid pesticide, liquid, toxic mixture, 6.1, III  
 Emergency Response Guide Number 151

##### TDG

UN/ID no UN3352  
 Proper shipping name Pyrethroid pesticide, liquid, toxic mixture  
 Hazard Class 6.1  
 Packing Group III  
 Description UN3352, Pyrethroid pesticide, liquid, toxic mixture (Bifenthrin), 6.1, III

##### IATA

UN/ID no UN3352  
 Proper shipping name Pyrethroid pesticide, liquid, toxic  
 Hazard Class 6.1  
 Packing Group III  
 ERG Code 6L  
 Special Provisions A3, A4  
 Description UN3352, Pyrethroid pesticide, liquid, toxic (Bifenthrin), 6.1, III

##### IMDG

UN/ID no UN3352  
 Proper shipping name Pyrethroid pesticide, liquid, toxic  
 Hazard Class 6.1  
 Packing Group III

<b>EmS-No</b>	F-A, S-A
<b>Special Provisions</b>	61, 223, 274
<b>Description</b>	UN3352, Pyrethroid pesticide, liquid, toxic (Bifenthrin), 6.1, III; Marine Pollutant

## 15. REGULATORY INFORMATION

### International Inventories

<b>TSCA</b>	Complies
<b>DSL/NDL</b>	Complies
<b>EINECS/ELINCS</b>	Complies
<b>IECSC</b>	Complies
<b>KECL</b>	Complies
<b>PICCS</b>	Complies
<b>AICS</b>	Complies

### Legend:

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDL** - Canadian Domestic Substances List/Non-Domestic Substances List

**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

### US Federal Regulations

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
Bifenthrin - 82657-04-3	1.0
Naphthalene - 91-20-3	0.1

#### SARA 311/312 Hazard Categories

<b>Acute health hazard</b>	Yes
<b>Chronic Health Hazard</b>	Yes
<b>Fire hazard</b>	Yes
<b>Sudden release of pressure hazard</b>	No
<b>Reactive Hazard</b>	No

#### CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Naphthalene 91-20-3	100 lb	X	X	X

#### CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Naphthalene 91-20-3	100 lb 1 lb	-	RQ 100 lb final RQ RQ 45.4 kg final RQ RQ 1 lb final RQ RQ 0.454 kg final RQ

### US State Regulations

#### California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65
Naphthalene - 91-20-3	Carcinogen

#### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Bifenthrin 82657-04-3	X	-	-
Naphthalene 91-20-3	X	X	X

#### U.S. EPA Label Information

EPA Pesticide Registration Number 83529-48

#### EPA Statement

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

#### Difference between SDS and EPA Pesticide label

WARNING. May be fatal if swallowed. Causes substantial but temporary eye injury. Do not get into eyes or on clothing. Wear protective eyewear such as goggles or safety glasses. Harmful if inhaled, or absorbed through skin. Avoid breathing vapor or spray mist. Avoid contact with skin, eyes, or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

### 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

<b>NFPA</b>	Health hazards 3	Flammability 2	Instability 0	Physical and Chemical Properties -
<b>HMIS</b>	Health hazards 3*	Flammability 2	Physical hazards 0	Personal protection X
<i>Chronic Hazard Star Legend</i>	* = Chronic Health Hazard			

Issue Date 10-Jun-2016

Revision Date 10-Jun-2016

#### Revision Note

No information available

#### Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**

10Jun2016