

BOSCALID	GROUP	7	FUNGICIDE
PYRACLOSTROBIN	GROUP	11	FUNGICIDE

Parade ULV

One can Treats up to 3,000 square feet

For Use on Ornamentals in Commercial Greenhouses and Transportation Equipment (Trucks - Cargo Areas Only).

For Control of Alternaria, Botrytis, Cercospora, Cylindrocladium, Downy Mildew, Myrothecium, Powdery Mildew, Rhizoctonia, and Rust (Uromyces).

ACTIVE INGREDIENTS:

WT. BY %

Boscalid*: 3-pyridinecarboxamide, 2-chloro-N-(4'-chloro(1,1'-biphenyl)-2-yl)..... 3.50%

Pyraclostrobin*: carbamic acid, [2-[[[1-(4-chlorophenyl)-1H-pyrazol-3-yl]oxy]methyl]phenyl]methoxy-, methyl ester 1.75%

OTHER INGREDIENTS: 94.75%

TOTAL: 100.00%

*Contains 0.0066 lb. boscalid and 0.0033 lb. pyraclostrobin.

Manufactured For:

Sharda USA LLC 

7217 Lancaster Pike, Suite A
Hockessin, Delaware 19707

EPA Reg. No. 83529-222 EPA Est. No. **MA** 83411-MN-001; **MC** 89332-GA-001;
SC 39578-TX-001; **TX** 07401-TX-001

The EPA Establishment Number is identified by the circled letters above that match the first two letters in the batch number.

KEEP OUT OF REACH OF CHILDREN CAUTION/PRECAUCION

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you **DO NOT** understand this label, find someone to explain it to you in detail.)

See label booklet for complete First Aid, Precautionary Statements, Directions for Use, and Storage and Disposal.

Net Contents: 3 fl ozs

FIRST AID	
IF SWALLOWED:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • DO NOT induce vomiting unless told to do so by a poison control center or doctor. • DO NOT give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 - 20 minutes. • Call a poison control center or doctor for treatment advice.
IF IN EYES:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
HOTLINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor or going for treatment. For emergency information concerning this product, call your poison control center at 1-800-222-1222 .	

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION. Harmful if swallowed. Avoid contact with eyes, skin, or clothing. Causes moderate eye irritation. Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Chemical-resistant gloves (such as barrier laminate or butyl rubber, nitrile rubber, neoprene rubber or PVC or viton)
- Shoes plus socks
- Protective eyewear

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washing exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should:

- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.
- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.

ENVIRONMENTAL HAZARDS

This product may be toxic to bees exposed to direct treatment or residues from blooming plants.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Container contents must be at room temperature before use; therefore, cans must be stored at room temperature (above 65°F) for 24 hours before application. Container must be elevated so that the top of the can is above the top of plant canopy and clear a 6-foot area around the can. In order to obtain maximum distribution of fog, spray must be unobstructed by foliage or other physical objects.

Notice: When conditions that would harm plant foliage or flowers might be created by tightly closing greenhouses, good greenhouse management must overrule the use of this product. **DO NOT** use this product in greenhouses with unvented or defective gas heating systems or when open combustion exists.

AGRICULTURAL USE REQUIREMENTS

DO NOT apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), notification to workers, and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

DO NOT enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 12 hours with no ventilation. Alternatively, you may ventilate the treated areas after 4 hours per 40 CFR 170.110(c)(3) until after:

- 10 air exchanges are completed; or
- 4 hours of ventilation using vents, windows, or other passive ventilation; or
- 2 hours of ventilation using fans or other mechanical ventilating systems.

Using one of these ventilation methods is equivalent to the REI of 12 hours with no ventilation, and no PPE is required after this time. Early entry to treated areas is permissible after 4 hours (per 40 CFR 170.112) to perform short-term activities, including ventilation procedures, provided personal protective equipment is worn. PPE required for early entry to treated areas that is permitted under the WPS and that involves contact with anything that has been treated, including plants, soil, or water, is:

- Coveralls
- Chemical-resistant gloves, including barrier laminate or butyl rubber
- Shoes plus socks
- Protective eyewear

APPLICATION INSTRUCTIONS

Use Sites

Ornamentals in Commercial Greenhouses and Trucks (Cargo Areas Only) including: Bedding plants, Cut flowers, Flowering hanging baskets, Foliage plants, Potted flowering plants, and Perennials.

Preapplication Directions

As part of a preventative disease management program apply prior to disease development. Container must be elevated so that the top of the can is above the top of plant canopy and clear a 6-foot area around the can. All exhaust fans must be shut off and all windows, doors, and vents closed. **DO NOT** place cans within 10 horizontal feet of any ignition source including pilot lights, other open flames, or running electrical appliances that cycle off and on. Use when foliage is dry and temperature is between 60°F - 80°F. Crop injury may result if applied at lower or higher temperatures. Run a small-scale test and observe for plant damage and performance prior to a full-scale application. See **Plant Safety Information** for more details.

Total Release Dosage

Apply 2 cans per 3,000 square feet when using to control *Cercospora*. Ensure good air movement prior to application and position plants to ensure coverage of tops and bottoms of leaves when using to control Rust. Apply 1 can per 3,000 square feet to control all other listed diseases. Reapplications can be made at 7-day intervals. To maintain good resistance management practices, **DO NOT** make more than 2 consecutive applications of this product before alternating to a labeled fungicide with a different mode of action for at least 1 application. This product is fungicide class **Group 7** (boscalid) and **Group 11** (pyraclostrobin). Use up to 4 times per crop. Up to 10 cans per 3,000 square feet is permitted per year.

To Activate Cans

Start with can farthest away from exit door. Tilt can away from face during activation. Activate each can by pressing tab down and locking it. Leave greenhouse immediately. The entire contents will release automatically.

Plant Safety Information

This product has been used on a variety of common ornamental plants without observed plant injury. Not all species, varieties, and cultivars have been tested for tolerance to this product, possible space mix combinations with this product, or pesticide treatments preceding or following treatments made with this product. Local conditions can also influence plant tolerance and may not match those under which Sharda USA LLC has conducted testing. The grower must recognize differences and test the product accordingly because many cultivars within a plant species vary in tolerance to chemical applications and growing conditions. At a minimum, always test a small group of representative plants for tolerance to this product under local growing conditions and prior to large-scale use. Refer to the below **Plant Species NOT Tolerant to Parade ULV** table for the list of plants known to be sensitive to this product.

Responsibility is assumed by grower for testing species suitability under local growing conditions by treating a small number of plants at the specified rate. At a minimum, this must include evaluating treated plants for several weeks following treatment for possible injury or other effects. To the extent consistent with applicable law, by applying this product, the user assumes responsibility for any crop damage or other liability associated with factors beyond the manufacturer's control, including weather, presence of other materials, and manner or use of application.

Precautions

- This product has occasionally shown **discoloration on open flowers and plants** following application to **Petunias and Impatiens**. Make sure you have tested plants prior to release of this product on a large scale.

Restrictions

- **DO NOT** apply to plants exhibiting symptoms of stress or injury including abnormal growth, stunting, wilting, leaf burn or drop.
- **DO NOT** expose the varieties or species in the below **Plant Species NOT Tolerant to Parade ULV** table to this product.

Plant Species NOT Tolerant to Parade ULV

Common Name	Scientific Name
Gerbera	<i>Gerbera</i> spp.
Pansy	<i>Viola</i> spp.
Ninebark	<i>Physocarpus opulifolius</i>
Wintercreeper	<i>Euonymus fortunei</i> 'Vegetus'

STORAGE AND DISPOSAL

DO NOT contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store in a cool area away from heat or open flame.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. If these wastes cannot be disposed of according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING:

DO NOT puncture or incinerate! **If empty:** Place in trash or offer for recycling, if available. **If partly filled:** Call your local solid waste agency for disposal instructions.

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather, presence of other materials or other influencing factors in the use of the product, which are beyond the control of Sharda USA LLC or Seller. To the extent consistent with applicable law, all such risks shall be assumed by Buyer and User, and Buyer and User agree to hold Sharda USA LLC and Seller harmless for any claims relating to such factors.

Sharda USA LLC warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. This warranty does not extend to the use of this product contrary to label instructions, or under conditions not reasonably foreseeable to or beyond the control of Seller or Sharda USA LLC and Buyer and User assume the risk of any such use. To the extent consistent with applicable law, SHARDA USA LLC MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

To the extent consistent with applicable law, neither Sharda USA LLC nor Seller shall be liable for any incidental, consequential, or special damages resulting from the use or handling of this product. **TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF SHARDA USA LLC AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF SHARDA USA LLC OR SELLER, THE REPLACEMENT OF THE PRODUCT.**

Sharda USA LLC and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of Sharda USA LLC.

All trademarks are the property of their respective owners.

BOSCALID	GROUP 7	FUNGICIDE
PYRACLOSTROBIN	GROUP 11	FUNGICIDE

Parade ULV

One can Treats up to 3,000 square feet
For Use on Ornamentals in Commercial Greenhouses and
Transportation Equipment (Trucks - Cargo Areas Only).
For Control of Alternaria, Botrytis, Cercospora, Cythodrocladium, Downy Mildew,
Myrothecium, Powdery Mildew, Rhizoctonia, and Rust (Uromyces).

ACTIVE INGREDIENTS:	WT. BY %
Boscalid*: 3-pyridinecarboxamide, 2-chloro-N-(4'-chloro(1,1'-biphenyl)-2-yl) ...	3.50%
Pyraclostrobin*: carbamic acid, [2-[[[1-(4-chlorophenyl)-1H-pyrazol-3-yl]oxy)methyl]phenyl]methoxy-, methyl ester.	1.75%
OTHER INGREDIENTS:	94.75%
TOTAL:	100.00%

*Contains 0.0066 lb. boscalid and 0.0033 lb. pyraclostrobin.

KEEP OUT OF REACH OF CHILDREN CAUTION/PRECAUCION

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you **DO NOT** understand this label, find someone to explain it to you in detail.)

EPA Reg. No. 83529-222 EPA Est. No. **MA** 83411-MN-001; **MC** 89332-GA-001;
SC 39578-TX-001; **TX** 07401-TX-001

The EPA Establishment Number is identified by the circled letters above that match the first two letters in the batch number.

Manufactured For:

Sharda USA LLC 

7217 Lancaster Pike, Suite A, Hockessin, Delaware 19707

Net Contents:
3 fl oz

FIRST AID - IF SWALLOWED: • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • **DO NOT** induce vomiting unless told to do so by a poison control center or doctor. • **DO NOT** give anything by mouth to an unconscious person. **IF ON SKIN OR CLOTHING:** • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 - 20 minutes. • Call a poison control center or doctor for treatment advice. **IF IN EYES:** • Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.

HOTLINE NUMBER - Have the product container or label with you when calling a poison control center or doctor or going for treatment. For emergency information concerning this product, call your poison control center at 1-800-222-1222.

PRECAUTIONARY STATEMENTS - HAZARDS TO HUMANS AND DOMESTIC ANIMALS - CAUTION. Harmful if swallowed. Avoid contact with eyes, skin, or clothing. Causes moderate eye irritation. Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse. **ENVIRONMENTAL HAZARDS** - This product may be toxic to bees exposed to direct treatment or residues from blooming plants. **DIRECTIONS FOR USE** - It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL - DO NOT contaminate water, food, or feed by storage or disposal. **PESTICIDE STORAGE:** Store in a cool area away from heat or open flame. **PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. If these wastes cannot be disposed of according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. **CONTAINER HANDLING: DO NOT** puncture or incinerate! **If empty:** Place in trash or offer for recycling, if available. **If partly filled:** Call your local solid waste agency for disposal instructions.

See label booklet for complete Precautionary Statements,
Directions For Use, and Storage and Disposal.

OPEN HERE 