

SAFETY DATA SHEET

Issue Date 17-Sep-2023 Revision Date 17-Sep-2023 Version 1

1. IDENTIFICATION

Product identifier

Product Name Sharda Zeta-Cypermethrin 9.15% EC ABN: DATSUN

Other means of identification

Product Code83529-234SynonymsNoneRegistration Number(s)83529-234

Recommended use of the chemical and restrictions on use

Recommended Use Insecticide

Uses advised against No information available

Details of the supplier of the safety data sheet

Manufacturer Address Sharda USA LLC P.O. Box 640

Hockessin, DE 19707

Emergency Telephone

Website: www.shardausa.com

Emergency telephone number

Company Phone Number 610-350-6930 (US)

+91 22 5678 2800 (India) CHEMTREC: 800-424-9300

CHEMTREC: 703-527-3887

POISON CONTROL CENTER: 800-222-1222

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Dermal	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Skin sensitization	Category 1B

Label elements

Emergency Overview

Warning

Hazard statements

Harmful in contact with skin Causes skin irritation Causes serious eye irritation May cause an allergic skin reaction



ABN: DATSUN

Revision Date 17-Sep-2023

Appearance clear liquid Physical state liquid Odor Aromatic

Precautionary Statements - Prevention

Wear protective gloves/protective clothing/eye protection/face protection Wash face, hands and any exposed skin thoroughly after handling

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash before reuse

Call a POISON CENTER or doctor/physician if you feel unwell

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

May be harmful if swallowed. Very toxic to aquatic life with long lasting effects. Very toxic to aquatic life.

Unknown acute toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable

Mixture

Chemical Name	CAS No	Weight-%
Solvent naphtha, petroleum, heavy aromatic *	64742-94-5	60 - 100
Other ingredients *	Proprietary	7 - 13
Zeta-Cypermethrin	1315501-18-8	9.15
Acetic acid *	64-19-7	1 - 5

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret. If CAS number is "proprietary", the specific chemical identity and percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

General advice Call a poison control center or doctor for treatment advice. Have the product containers or

label with you when calling a poison control center or doctor, or going for treatment.

Eye contactRinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison control

center or doctor for treatment advice.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Wash contaminated clothing before reuse. If skin irritation persists, call

a physician. Call a poison control center or doctor for treatment advice.

ABN: DATSUN

Inhalation Move victim to fresh air. If breathing is irregular or stopped, administer artificial respiration.

Call a physician or poison control center immediately. Administer oxygen if breathing is

Revision Date 17-Sep-2023

difficult.

IngestionCall a physician or poison control center immediately. Do not induce vomiting without

medical advice. Never give anything by mouth to an unconscious person.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved and take precautions

to protect themselves.

Most important symptoms and effects, both acute and delayed

Symptoms May cause redness and tearing of the eyes. Repeated contact may cause allergic reactions

in very susceptible persons.

Indication of any immediate medical attention and special treatment needed

Note to physicians Contains petroleum distillate. Induced vomiting as first aid for this substance may result in

increased risk of chemical pneumonia or pulmonary edema caused by aspiration of the hydrocarbon solvent. Vomiting must be induced only under professional supervision. Skin exposure may also result in a sensation described as a tingling, itching, burning, or prickly feeling. Onset may occur immediately to 4 hours after exposure and may last 2 - 30 hours,

without damage. Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Dry chemical, CO2, water spray or regular foam. Move containers from fire area if you can do it without risk. Dike fire-control water for later disposal. Water spray, fog or regular foam.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the chemical

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Combustible material.

Hazardous combustion products Carbon oxides. Nitrogen oxides (NOx).

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Avoid runoff to waterways and sewers.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Ensure adequate ventilation, especially in confined

areas. Use personal protective equipment as required. Keep people away from and upwind

of spill/leak.

ABN: DATSUN

Environmental precautions

Environmental precautions Prevent entry into waterways, sewers, basements or confined areas.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Cover liquid spill with sand, earth or other non-combustible absorbent material. Sweep up

and shovel into suitable containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Use personal

protective equipment as required. Wash thoroughly after handling. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Do not breathe

Revision Date 17-Sep-2023

dust/fume/gas/mist/vapors/spray. Avoid contact with skin, eyes or clothing.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep out of the reach of children. Keep/store only in original container. Keep containers

tightly closed in a dry, cool and well-ventilated place. Keep away from food, drink and

animal feeding stuffs.

Packaging materials Do not reuse container.

Incompatible materials Strong oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH REL/IDLH
Solvent naphtha, petroleum, heavy	ğ (TWA - 400 mg/m³ (hydrocarbons,	-
aromatic 64742-94-5	total hydrocarbon)	unspecified)	
Acetic acid	STEL: 15 ppm	TWA: 10 ppm	IDLH: 50 ppm
64-19-7	TWA: 10 ppm	TWA: 25 mg/m ³	TWA: 10 ppm
			TWA: 25 mg/m³ STEL: 15 ppm
			STEL: 37 mg/m ³

NIOSH REL/IDLH Recommended Exposure Limit/Immediately Dangerous to Life or Health

Appropriate engineering controls

Engineering Controls Ensure adequate ventilation, especially in confined areas. And. Showers. Eyewash

stations. Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin and body protection Wear suitable protective clothing. Wear protective butyl rubber gloves. Protective shoes or

boots.

Respiratory protection Ensure adequate ventilation, especially in confined areas. If exposure limits are exceeded

ABN: DATSUN

or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local

Revision Date 17-Sep-2023

regulations.

General Hygiene Considerations

When using do not eat, drink or smoke. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Wash hands thoroughly after handling. Keep away from food, drink and animal feeding stuffs.

@ 40 °C

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state liquid

Appearance clear liquid Odor Aromatic

Colorlight yellowOdor thresholdNo information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH 4.07 solution (1 %)

Melting point / freezing point No information available

Boiling point / boiling rangeNo information available

Flash point

No information available

95.6 °C

Tag C

Flash point 95.6 °C Tag Closed Cup **Evaporation rate** No information available

Flammability (solid, gas)

Flammability Limit in Air

Upper flammability limit:

Lower flammability limit:

Vapor pressure

Vapor density

No information available
No information available
No information available

Relative density 0.9427 g/mL Water solubility Emulsifies

Solubility in other solvents
Partition coefficient
Autoignition temperature
Decomposition temperature
No information available
No information available
No information available

Kinematic viscosity ~ 28 mm2/s

Dynamic viscosityNo information available **Explosive properties**Not an explosive

Oxidizing properties Not applicable

Other Information

Softening point
Molecular weight
VOC Content (%)
Density
No information available

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Elevated Temperature. Storage near to reactive materials.

ABN: DATSUN

Revision Date 17-Sep-2023

Incompatible materials

Strong oxidizing agents.

Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Nitrogen oxides (NOx). Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation Based on available data, the classification criteria are not met.

Eye contact Irritating to eyes.

Skin contact Harmful in contact with skin. Repeated or prolonged contact may cause allergic reactions in

very susceptible persons.

Ingestion Based on available data, the classification criteria are not met.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Solvent naphtha, petroleum, heavy aromatic 64742-94-5	> 5000 mg/kg (Rat)	> 2 mL/kg (Rabbit)	> 590 mg/m³ (Rat)4 h
Zeta-Cypermethrin 1315501-18-8	86 - 367 mg/kg (Rat)	> 2400 mg/kg (Rabbit)	= 7889 mg/m³ (Rat) 4 h
Acetic acid 64-19-7	= 3310 mg/kg (Rat)	= 1060 mg/kg (Rabbit)	= 11.4 mg/L (Rat)4 h

Information on toxicological effects

Symptoms May cause redness and tearing of the eyes. Repeated or prolonged contact may cause

allergic reactions in very susceptible persons.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization Repeated or prolonged contact may cause allergic reactions in very susceptible persons.

Germ cell mutagenicity

Carcinogenicity

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Target Organ Effects Eyes, Respiratory system, Skin, Teeth.

Aspiration hazard Based on available data, the classification criteria are not met.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

 ATEmix (oral)
 4,970.00 mg/kg

 ATEmix (dermal)
 1,972.00 mg/kg

 ATEmix (inhalation-dust/mist)
 830.50 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

Very toxic to aquatic life with long lasting effects

This pesticide is extremely toxic to fish, aquatic invertebrates, oysters, and shrimp. DO NOT apply directly to water, to areas where surface water is present or to intertidal areas below the mean highwater mark. DO NOT apply when weather conditions favor drift

83529-234 - Sharda Zeta-Cypermethrin 9.15% EC Revision Date 17-Sep-2023

ABN: DATSUN

from treated areas. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. DO NOT contaminate water when disposing of equipment wash waters. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. DO NOT apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area. Protect pollinating insects by following label directions intended to minimize drift and to reduce risk to these organisms

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Solvent naphtha, petroleum, heavy	2.5: 72 h Skeletonema costatum	19: 96 h Pimephales promelas mg/L	0.95: 48 h Daphnia magna mg/L
aromatic	mg/L EC50	LC50 static 41: 96 h Pimephales	EC50
64742-94-5	_	promelas mg/L LC50 45: 96 h	
		Pimephales promelas mg/L LC50	
		flow-through 2.34: 96 h	
		Oncorhynchus mykiss mg/L LC50	
		1740: 96 h Lepomis macrochirus	
		mg/L LC50 static	
Acetic acid	-	79: 96 h Pimephales promelas mg/L	65: 48 h Daphnia magna mg/L
64-19-7		LC50 static 75: 96 h Lepomis	EC50 Static 47: 24 h Daphnia
		macrochirus mg/L LC50 static	magna mg/L EC50

Persistence and degradability

Not readily biodegradable.

Bioaccumulation

Not likely to bioaccumulate.

Chemical Name	Partition coefficient
Solvent naphtha, petroleum, heavy aromatic 64742-94-5	2.9 - 6.1
Acetic acid 64-19-7	-0.31

Other adverse effects

This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT)

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastesPesticide wastes may be acutely hazardous. Improper disposal is a violation of federal

law. Disposal should be in accordance with applicable regional, national and local laws and regulations. Contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance on

proper disposal of waste product.

Contaminated packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations. Consult product label for additional information. Do not reuse container.

14. TRANSPORT INFORMATION

DOT Not regulated

TDG Not regulated

IATA

UN/ID no UN3082

Proper shipping name Environmentally hazardous substance, liquid, n.o.s.

Hazard Class 9
Packing Group III
ERG Code 9L

Special Provisions A97, A158, A197

Description UN3082, Environmentally hazardous substance, liquid, n.o.s. (Zeta-Cypermethrin), 9, III

83529-234 - Sharda Zeta-Cypermethrin 9.15% EC Revision Date 17-Sep-2023

ABN: DATSUN

IMDG

UN/ID no UN3082

Proper shipping name Environmentally hazardous substance, liquid, n.o.s.

Hazard Class9Packing GroupIIIEmS-NoF-A, S-FSpecial Provisions274, 335

Description UN3082, Environmentally hazardous substance, liquid, n.o.s. (Zeta-Cypermethrin), 9, III,

Marine pollutant

15. REGULATORY INFORMATION

International Inventories

TSCA Complies
DSL/NDSL Complies
EINECS/ELINCS Complies
IECSC Complies
KECL Complies
PICCS Complies
AICS Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute health hazardYesChronic Health HazardNoFire hazardNoSudden release of pressure hazardNoReactive HazardNo

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Acetic acid	5000 lb	-	-	Х
64-19-7				

<u>CERCLA</u>

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Acetic acid	5000 lb	-	RQ 5000 lb final RQ
64-19-7			RQ 2270 kg final RQ

ABN: DATSUN

Revision Date 17-Sep-2023

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Acetic acid	X	X	X
64-19-7			

U.S. EPA Label Information

EPA Pesticide Registration Number 83529-234

EPA Statement

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Difference between SDS and EPA Pesticide label

WARNING. Contains Petroleum Distillate. May be fatal if swallowed. Causes substantial but temporary eye injury. DO NOT get in eyes or on clothing. Avoid contact with skin. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA Health hazards 2 Flammability 1 Instability 0 Physical and Chemical Properties -

HMIS Health hazards 2 Flammability 1 Physical hazards 0 Personal protection X

Issue Date17-Sep-2023Revision Date17-Sep-2023

Revision Note

No information available

Procedure used to derive the classification

Justification - Calculation method

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet
