THIOPHANATE-METHYL GROUP 1

Thalys

ACTIVE INGREDIENT:

Thiophanate-Methyl (Dimethyl [(1,2-phenylene)bis (iminocarbonothioyl)]bis[Carbamate]
OTHER INGREDIENTS:

WT. BY %
.. 46.2%
.. 53.8%
100.0%

FUNGICIDE

TOTAL.

*Also known as Dimethyl 4,4'-o-phenylebis-[3-thioallophanate] Contains 4.5 pounds thiophanate-methyl per gallon.

CAUTION

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you **DO NOT** understand this label, find someone to explain it to you in detail.)

See label booklet for complete First Aid, Precautionary Statements, Directions For Use, and Storage and Disposal.

Manufactured For:

Sharda USA LLC S U

7217 Lancaster Pike, Suite A Hockessin, Delaware 19707 EPA Reg. No. 8 EPA Est. No. CS

MC 89332-G/

The EPA Establis

®

MA 83411-MN-001; 1; TX 07401-TX-001

ed by the circled letters the batch number.

FIRST AID					
IF INHALED:	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.				
IF ON SKIN OR CLOTHING:	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison control center or doctor for treatment advice.				
IF IN EYES:	Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.				
IF SWALLOWED:	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. DO NOT induce vomiting unless told to do so by a poison control center or doctor. DO NOT give anything by mouth to an unconscious person.				
HOTLINE NUMBER					

.....

Have the product container or label with you when calling a poison control center or doctor or going for treatment. For emergency information concerning this product, call your poison control center at **1-800-222-1222**.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if inhaled or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Harmful if swallowed. Avoid breathing vapor or spray mist. Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Some materials that are chemical-resistant to this product are Barrier Laminate Gloves, Nitrile Rubber Gloves ≥ 14 mils, or Viton Gloves ≥ 14 mils.

Handlers mixing, loading, and applying the product as a dip must wear:

- . Coveralls over long-sleeved shirt and long pants
- · Chemical-resistant gloves
- · Chemical-resistant footwear plus socks
- Chemical resistant apron

All other mixers, loaders and applicators must wear:

- Long-sleeved shirt and long pants
- · Shoes plus socks
- Chemical-resistant gloves for all mixers and loaders and for application using hand-held equipment
- Chemical-resistant apron for mixers, loaders, and other handlers exposed to concentrate

USER SAFETY REQUIREMENTS

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate DO MDT reuse them

USER SAFETY RECOMMENDATIONS

Users should:

- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing, As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

DO NOT apply directly to water, or to areas where surface water is present or to intertidal areas below the mean highwater mark. Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. **DO NOT** contaminate water when disposing of equipment wash water or rinsate.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DO NOT apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

Shake well before using.

DO NOT apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

Thalys is for commercial seed treatment use on listed crops. It is to be used with slurry or misting (liquid) seed treatment equipment. It is not to be used by agricultural companies before (or at) planting.

Make sure that **Thalys** container is well shaken or otherwise mixed before use, particularly if entire contents are not used at one time. If tank mixing this seed treatment product with other products, carry out a compatibility test before mixing and applying. When tank mixing, read and follow the label of each tank mix product used for precautionary statements, directions for use, rates and timings, and other restrictions.

Seed treated with this product must be treated with an authorized colored dye (for dyes approved for use in pesticide products, and any use rate restrictions, see 40 CFR Part 180.900) to prevent unintended use as a food or feed. Per 21 CFR Part 2.25, product user is responsible for ensuring seeds are properly dyed. Per the Federal Seed Act, treated seed must bear appropriate labeling, as indicated below.

Restriction:

• DO NOT use seed treated with this product to process for oil, use as food or feed, or mix with food or feed.

SEED LABELING

THE FEDERAL SEED ACT REQUIRES THAT BAGS CONTAINING TREATED SEED BE LABELED WITH THE FOLLOWING INFORMATION:

 "This seed has been treated with Thalys (thiophanate-methyl) seed treatment. DO NOT use for food, feed, or oil processing. Store away from feeds and other foodstuffs."

LABELS FOR COMMERCIALLY TREATED SEED MUST INCLUDE THE FOLLOWING ADDITION TO THE ENVIRONMENTAL HAZARDS STATEMENTS:

"Exposed treated seed may be hazardous to birds and wildlife. Dispose of all excess treated seed and seed packaging or containers by burial away from bodies of water in accordance with any local requirements. Cover, incorporate, or collect treated seeds spilled during loading and planting. DO NOT contaminate bodies of water when disposing of planting equipment wash water."

THE U.S. ENVIRONMENTAL PROTECTION AGENCY REQUIRES THE FOLLOWING STATEMENTS ON CONTAINERS CONTAINING TREATED SEED:

- "DO NOT allow children, pets or livestock to have access to treated seeds."
- "DO NOT graze or feed livestock on treated areas for 45 days after planting."
- "Wear long pants, long-sleeved shirt, shoes, socks, and chemical-resistant gloves when opening this bag or loading/pouring the treated seed."
- "After the seeds have been planted, DO NOT enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 12 hours. Exception: If the treated seed is soil-injected or soil-incorporated, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, including plants, soil or water is: coveralls, chemical-resistant gloves made of any waterproof material, and chemical-resistant footwear."

PRODUCT INFORMATION

Thalys can be applied to the following well cured, healthy seeds, to provide protection to the seed or seedlings from listed diseases. Use of this product in combination with other fungicides having efficacy against listed diseases can enhance performance if disease pressure is elevated, and will augment protection of the seed. Dilute product in enough water for application to seeds via seed treatment equipment for misting or slurry. For application questions regarding a particular seed type, consult a seed treatment specialist.

PEANUTS

For use on PEANUT seeds for suppression of seedling blight (Fusarium spp. and Rhizoctonia spp.) and seed decay (including Aspergillus spp.), use 0.14 - 0.28 fl. oz. product (0.005 - 0.01 lb. a.i.) per 100 lbs. of seed. For control against seed borne Sclerotinia spp, use 0.94 - 1.12 fl. oz. product (0.033 - 0.039 lb. a.i./A) per 100 lbs. of seed.

SOYBEANS

For use on SOYBEAN seeds for suppression of seedling blight (soilborne Fusarium spp. and Rhizoctonia spp.), use 0.14 - 0.28 fl. oz. product (0.005 - 0.01 lb. a.i.) per 100 lbs. of seed, based on typical seed weight of 3,000 seeds per pound, or 150,000 seeds per 50 pounds. If seed rate per pound is different, adjust amount of product used accordingly. For other weights/concentrations:

1 seed	0.008 - 0.015 mg. a.i.*		
1,000 seeds	0.0005 - 0.0010 fl. oz. product		
140,000 seeds	0.065 - 0.0130 fl. oz. product		

^{*}This product contains 15.970 mg, a.i. per 1 fluid ounce.

NOTE: To maintain mg a.i./seed, adjust fluid ounces/100 lbs. in proportion to the to the actual seeds/lb. compared to the standard number of seeds/lb, for that crop; fluid ounces per number of seeds (i.e., 1,000; 140,000) does not need to be adjusted. For example, if there are 2,800 soybean seeds/lb. and the targeted rate is 0.0075 mg a.i./seed at a non-adjusted rate of 0.14 fl, oz./100 lbs. of seed. use: 2,800 ÷ 3,000) x 0.14 = 0.13 fl, oz./100 lbs. of seed.

DRY BEANS, SNAP BEANS

For use on DRY BEAN and SNAP BEAN seeds against seedling blight (soilborne *Fusarium* spp. and *Rhizoctonia* spp.) and seed decay (including *Phomopsis* spp. and *Fusarium* spp.), use 0.14 - 0.28 fl. oz. product (0.005 - 0.01 lb. a.i.) per 100 lbs. of seed.

WHEAT

For use on WHEAT seeds against seedling blight (soilborne Fusarium spp. and Rhizoctonia spp.) and seed decay (including Fusarium spp.), use 0.14 - 0.28 fl. oz. product (0.005 - 0.010 lb. a.i.) per 100 lbs. of seed.

POTATO SEED PIECE TREATMENT

For use on cut POTATO SEED PIECES for suppression of diseases caused by Silver Scurf (Helminthosporium solani), Black Scurf and Stem Canker (Rhizoctonia solani) and dry rot (Fusanium spp.), use 0.5 - 0.7 fl. oz. product (0.018 - 0.025 lb. a.i.) per 100 lbs. of seed pieces. For adequate control, cut seed pieces must be completely covered with solution. Before cutting and planting seed pieces, make certain that all equipment is completely cleaned and sanitized (including tables, trays, knives, cutting machines, barrels, planters, trucks, and any other equipment).

This product will not protect against systemic seed piece diseases, or airborne inoculum, and if used alone (not in combination with another fungicide), will not deliver consistent efficacy. Use of this product in combination with another fungicide having efficacy against listed diseases that arise from exterior infestations of seed pieces can enhance and provide more consistent performance. Additionally, follow application with a treatment that absorbs liquids from the seed pieces. For application questions regarding control of Silver Scurf in your area, consult a seed treatment or local extension specialist.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Store this product in a cool, dry place in its original container only. **DO NOT** store this product near fertilizers, seeds, or other pesticides. If this product is spilled, sweep up the spillage and dispose pursuant to the below Pesticide Disposal instructions.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be used according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING:

Less Than or Equal to 5 Gallons: Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available or reconditioning if appropriate or puncture and dispose of in a sanitary landfill or by incineration.

Greater Than 5 Gallons: Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10% full with water. Agitate vigorously or recirculate water with the pump for two minutes. Pour or pump rinsate into application equipment or rinsate collection system Repeat this rinsing procedure two more times.

Greater Than 5 Gallons: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Dispose of empty container in a sanitary landfill or by incineration.

For Bulk and Mini-Bulk Containers: Refillable container. Refill this container with pesticide only. Do not use this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the person refilling. To clean container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10% full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration, or by other procedures allowed by State and local authorities.

CONTAINER IS NOT SAFE FOR FOOD, FEED, OR DRINKING WATER!

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather, presence of other materials or other influencing factors in the use of the product, which are beyond the control of Sharda USA LLC or Seller. To the extent consistent with applicable law, all such risks shall be assumed by Buyer and User, and Buyer and User agree to hold Sharda USA LLC and Seller harmless for any claims relating to such factors.

Sharda USA LLC warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. This warranty does not extend to the use of this product contrary to label instructions, or under conditions not reasonably foreseeable to or beyond the control of Seller or Sharda USA LLC and Buyer and User assume the risk of any such use. To the extent consistent with applicable law, SHARDA USA LLC MAKES NO WARRANTIES OF MERCHANT-ABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

To the extent consistent with applicable law, neither Sharda USA LLC nor Seller shall be liable for any incidental, consequential, or special damages resulting from the use or handling of this product. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF SHARDA USA LLC AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF SHARDA USA LLC OR SELLER, THE REPLACEMENT OF THE PRODUCT.

Sharda USA LLC and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of Sharda USA LLC.

All trademarks are the property of their respective owners.

THIOPHANATE-METHYL GROUP 1 FUNGICIDE

Thalys

ACTIVE INGREDIENT:
Thiophanate-Methyl (Dimethyl [(1,2-phenylene)bis (iminocarbonothioyl)]bis[Carbamate])*

OTHER INGREDIENTS:

TOTAL:

Total:

Contains 4.5 pounds thiophanate-methyl per gallon.

KEEP OUT OF REACH OF CHILDREN CAUTION

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you **DO NOT** understand this label, find someone to explain it to you in detail.)

detaile. (II you bo N	UT understand this laber, find someone to explain it to you in detail.)					
FIRST AID						
IF INHALED:	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.					
IF ON SKIN OR CLOTHING:	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison control center or doctor for treatment advice.					
IF IN EYES:	Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.					
IF SWALLOWED:	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. DONOT induce vomiting unless told to do so by a poison control center or doctor. DONOT give anything by mouth to an unconscious person.					
HOTLINE NUMBER						
Have the product c	ontainer or label with you when calling a poison control center or					

doctor or going for treatment. For emergency information concerning this product.

PRECAUTIONARY STATEMENTS - HAZARDS TO HUMANS AND DOMESTIC ANIMALS - CAUTION - Harmful if inhaled or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Harmful if swallowed. Avoid breathing vapor or spray mist. Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. ENVIRONMENTAL HAZARDS - DO NOT apply directly to water, or to areas where surface water is present or to intertidal areas below the mean highwater mark. Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. DO NOT contaminate water when disposing of equipment wash water or rinsate. DIRECTIONS FOR USE - It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal. PESTICIDE STORAGE: Store this product in a cool, dry place in its original container only. DO NOT store this product near fertilizers, seeds, or other pesticides. If this product is spilled, sweep up the spillage and dispose pursuant to the below Pesticide Disposal instructions. PESTI-CIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be used according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. CONTAINER HANDLING: Less Than or Equal to 5 Gallons: Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available or reconditioning if appropriate or puncture and dispose of in a sanitary landfill or by incineration. Greater Than 5 Gallons: Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10% full with water. Aditate vigorously or recirculate water with the pump for two minutes. Pour or pump rinsate into application equipment or rinsate collection system Repeat this rinsing procedure two more times. Greater Than 5 Gallons: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Dispose of empty container in a sanitary landfill or by incineration. For Bulk and Mini-Bulk Containers: Refillable container. Refill this container with pesticide only. Do not use this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the person refilling. To clean container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10% full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration, or by other procedures allowed by State and local authorities. CONTAINER IS NOT SAFE FOR FOOD, FEED, OR DRINKING WATER!

See label booklet for additional Precautionary Statements and Directions For Use.

Manufactured For: Sharda USA LLC, 7217 Lancaster Pike, Suite A, Hockessin, Delaware 19707

EPA Reg. No. 83529-229 EPA Est. No. CS 70815-GA-001; MA 83411-MN-001; MC 89332-GA-001; SC 39578-TX-001; TX 07401-TX-001
The EPA Establishment Number is identified by the circled letters above that match the first two letters in the batch number.

Net	Contents:	2.5	Gals.*	2	65	Gals.
-----	------------------	-----	--------	---	----	-------

call your poison control center at 1-800-222-1222.

* Unless alternate checked